

Chiropractic Research

Chiropractic Research Foundation of National Chiropractic Association, Committee on Research of the International Chiropractic Association & Parker Chiropractic Research Foundation. The majority of these cases were previously diagnosed & cared for by practitioners other than Chiropractors, Nov 2006

Conditions	% Much Improved	% Slightly Improved	Percent Same	Percent Worsened
Allergies	87.2%	10.3%	2.5%	0.0%
Arm/Leg Pain	88.2%	5.2%	6.0%	0.6%
Arthritis	73.3%	16.8%	9.4%	0.5%
Asthma	80.5%	12.1%	6.5%	0.9%
General Back	81.75%	17.3%	0.95%	0.0%
Bursitis	89.3%	7.1%	3.6%	0.0%
Chest Pain	91.0%	7.1%	1.9%	0.0%
Dizziness	86.3%	7.8%	5.9%	0.0%
Gall Bladder	80.9%	11.3%	5.8%	2.0%
Tension	72.9%	16.5%	8.8%	2.2%
Hay Fever	81.6%	13.4%	5.0%	0.0%
Headaches	83.2%	11.1%	5.1%	0.6%
Herniated Disc	88.2%	7.9%	3.5%	0.4%
High BP	73.0%	19.3%	6.4%	1.3%
Joint Pain	82.2%	9.7%	8.1%	0.0%
Low Back	87.3%	8.0%	4.2%	0.5%
Low BP	73.6%	17.6%	7.8%	1.0%
Migraines	86.6%	8.1%	2.9%	2.4%
Nausea	87.2%	10.3%	2.5%	0.0%
Nervousness	80.8%	12.8%	5.3%	1.1%
Neuralgia	80.1%	14.2%	5.7%	0.0%
Neuritis	86.4%	6.4%	7.2%	0.0%
Numbness Hands/Feet	86.5%	8.0%	5.5%	1.0%
Rheumatism	77.2%	14.7%	8.1%	0.0%
SI Disorders	81.8%	17.2%	1.0%	0.0%
Sciatica	85.0%	9.4%	5.1%	0.5%
Sinusitis	83.2%	11.8%	4.7%	0.3%
Spinal Curves	82.9%	5.7%	8.6%	2.8%
Stiff Necks	93.2%	4.4%	2.4%	0.0%
Stomach	82.5%	13.1%	3.7%	0.7%